


D5618-1 FWD WEARPLATE, LH


- NOTES:**
- 1) MATERIAL: MAKE FROM D5618-1F
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 6.1
 - 7) WEIGHT: 1.07 lbs
 - 8) BUILD UP HARD SURFACING 0.06 - 0.13 THICK USING 8259 ROD PER QSI 004 SECTION 4.5 (AUTOMATIC WELDING)
OR BUILD UP HARD SURFACING 0.06 - 0.13 THICK USING 2059B ROD PER QSI 004 SECTION 4.1 (MANUAL WELDING)
 - 9) COAT ENTIRE INTERNAL (CONCAVE) SURFACE WITH TEXTURED COATING 0.02 - 0.04 THICK PER DART QSI 005 4.9


RELEASED
2019 JAN 10
ECN 18-870

APPROVED

A	NEW ISSUE	RF	18.10.18
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	WK	DRAWING NO.	REV. A
MFG. APPR.	DD	D5618	SHEET 1 OF 5
APPROVED	VS	TITLE	SCALE
DE APPR.	DS	FWD WEARPLATE	NTS
DATE	18.10.18	COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	







D5618-4 FWD TRAINING WEARPLATE, RH

NOTES:


- 1) MATERIAL: MAKE FROM D5618-1F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 6.1
- 7) WEIGHT: 1.53 lbs
- 8) BUILD UP HARD SURFACING 0.17 - 0.20 THICK USING 8259 ROD PER QSI 004 SECTION 4.5 (AUTOMATIC WELDING)
OR BUILD UP HARD SURFACING 0.19 - 0.25 THICK USING 2059B ROD PER QSI 004 SECTION 4.1 (MANUAL WELDING)
- 9) COAT ENTIRE INTERNAL (CONCAVE) SURFACE WITH TEXTURED COATING 0.02 - 0.04 THICK PER DART QSI 005 4.9

RELEASED

2019 JAN 10

APPROVED

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	WK	DRAWING NO.	REV. A
MFG. APPR.	DD	D5618	SHEET 4 OF 5
APPROVED	VS	TITLE	SCALE
DE APPR.	DS	FWD WEARPLATE	NTS
DATE	18.10.18	COPYRIGHT © 2018 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



D5618-1F FWD WEARPLATE FLAT PATTERN

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET 16 GAUGE (0.063 THK)
PER AMS 5513 OR 5524 OR ASTM A240 OR ASME SA 240
REF DART SPEC M304S16GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.85 lbs
- 8) ALL NON DIMENSIONED FEATURED CONTROLLED BY D5618-1F.DXF REV. A

RELEASED

2019 JAN 10

APPROVED

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	WK	DRAWING NO.	REV. A
MFG. APPR.	DD	D5618	SHEET 5 OF 5
APPROVED	VS	TITLE	SCALE
DE APPR.	DS	FWD WEARPLATE	NTS
DATE	18.10.18	COPYRIGHT © 2018 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			